

MEMORANDUM FOR: Acting Deputy Director (Administration)

SUBJECT : Lighting Requirements, [redacted]

STAT

1. As you may recall, the inclusion of additional lighting requirements for the [redacted] in the previous submission of additional facility requirements for that Depot was considered inadvisable, and consequently not included. At the same time, the possibility of obtaining additional lighting facilities at a later date was indicated.

2. A survey of additional lighting facilities has been made by lighting engineers, the details of which are shown in Enclosure One. A survey of bin lighting requirements has also been made, from a health standpoint, by the Medical Staff, the results of which are shown in Enclosure Two. The estimated cost of these additional lighting facilities is estimated at \$ 16,000.00.

3. I feel that these additional lighting facilities are essential to an efficient operation and to the health of employees; therefore, your approval of these requirements is requested. Funds to cover the cost of these facilities are available within this Office.

JAMES A. GARRISON
Chief of Logistics

Enclosures:

- 1 - Memo dtd 31 Mar., 54
from Ch., Real Estate
and Construction Div.
Tab "A" - Lighting of
Estimated Cost
- 2.- Memo dtd 11 Feb., 54
from Ch., Program Coor.
Div., Medical Office

Distribution:

- 1 - Logistics
- 1 - Signer's
- 1 - Supply
- 1 - Facilities
- 1 - Real Estate
& Construction
- 1 - Comptroller

APPROVED:

L. K. WHITE
Acting Deputy Director